

TÜB 60 TECH

Suspended Linear Luminaire



DESCRIPTION

Tüb 60 excentuates interior architecural designs through it's curved linear form and sleek design. Luminaire is suspended from aircraft cable with a ceiling mounted canopy which can be painted independent to the luminaire for a uniquely custom design. Three lengths are available ranging from 2' 9" to 5' 6" alongside color temperatures of 2700K, 3000K, 3500K, and 4000K. Optical options include a traditional Opal Diffused Lens, Opal Comfort Diffused Lens, and Specialized Tech optics. Tüb 60 Tech includes a matte black reflector with a custom LED board which produce unparallelled uniform illumination that is comfortable even at eye level, making it suitable for contemporary restaurants, offices, and other hospitality venues. End Caps are available blank or with an embossed Lamp logo in 11 finish options for ultimate design configurability.



Date: _____ Type: _____ Catalog Number: _____

Project Name: _____

ORDERING INFORMATION

LUMINAIRE

| MODEL | CANOPY | LUMINAIRE LENGTH | OUTPUT | CRI | CCT | CONTROL | VOLTAGE | OPTIC | FINISH | CANOPY FINISH | OPTION | |
|----------------------------------|---|------------------|--------------------------|--------------|--------------|------------------|-----------------|---------------------|----------------------|-------------------------|--|----------------------|
| TUB60-D Lamp Tüb 60 Direct | SF Surface Mounted Canopy & Driver Enclosure | 2.8 2' 9" | SO Standard Output | 90 90 CRI | 27K 2700K | ON-OFF On/Off | UNV 120-277v | TECH Tech Optics | BL Black | BL Black | NEC No End Caps (Select When Ordering End Caps Separately; See Page 4 for Details) | |
| | | 3.7 3' 8" | | | 30K 3000K | | | | DIM 0-10v Dimming | WH White | | WH White |
| | | 5.5 5' 6½" | | | 35K 3500K | | | | | SB Signal Blue | | SB Signal Blue |
| | | | | | 40K 4000K | | | | | OW Oyster White | | OW Oyster White |
| | | | | | | | | | | GG Graphite Grey | | GG Graphite Grey |
| | | | | | | | | | | TB Turquoise Blue | | TB Turquoise Blue |
| | | | | | | | | | | SG Silver Grey | | SG Silver Grey |
| | | | | | | | | | | SKB Sky Blue | | SKB Sky Blue |
| | | | | | | | | | | GBRN Grey Brown | | GBRN Grey Brown |
| | | | | | | | | | | VM Vermillion | | VM Vermillion |
| | | | | | | | | | | DO Deep Orange | | DO Deep Orange |

See Page 4 for ordering information of available accessories.
 Custom solutions are available; consult factory for assistance via phone at (864) 487-3535 ext. 258
 or via email at DesignServices@EXP-Brands.com.




www.LampNorthAmerica.com
 For other Experience® Brands companies, please visit www.ExperienceBrandsUSA.com.

In a continuing effort to offer the best product possible, we reserve the right to change, without notice, specifications or materials. Technical specification sheets that appear online are the most recent ones available. Consult the factory to verify current status of BAA/TAA/BABAA compliance.

TÜB 60 TECH

Suspended Linear Luminaire



TÜB 60 TECH

| | | |
|----------|-----------------------|--|
| PHYSICAL | HOUSING | Recycled Aluminum Extrusion |
| | LENS | Matte Black Reflector with Comfort Optics |
| | DRIVER LOCATION | Driver is Mounted to Ceiling in 11" Enclosure with Square J-Box Plate |
| | END CAP FINISH | White End Caps on White Luminaires, All Others Black; Standard End Caps Blank, Embossed LAMP Logo Available. See Page 4 for Ordering Information of Custom End Caps. |
| | MOUNTING | Mounted via 8' Adjustable Aircraft Suspension Cables (Included) |
| | DIMENSIONS | ø2.48" x 33" / 44" / 66½" L |
| | WEIGHT | Between 4.65 to 8.84 Pounds |
| | OPERATING TEMPERATURE | -40°F to 104°F (-40°C to 40°C) |

| | | |
|------------|--------------|--|
| ELECTRICAL | VOLTAGE | 120-277 Volts |
| | CONTROL | On/Off, 0-10v Dimming |
| | CABLE FINISH | White Cable for White Luminaires; All Others Black |

| | | |
|-------------|----------------------|-----------------------------|
| PHOTOMETRIC | LUMEN MAINTENANCE | L90 > 50,000 Hours at 77°F* |
| | UGR | < 16 |
| | CRI | 90 CRI |
| | TIGHTNESS OF BINNING | MacAdam 3-Step |

| LIGHT DISTRIBUTIONS | OPTIC | CCT | 2.8' | | | 3.7' | | | 5.5' | | |
|------------------------------|-------|-------|--------|---------|----------|--------|---------|----------|--------|---------|----------|
| | | | LUMENS | WATTAGE | EFFICACY | LUMENS | WATTAGE | EFFICACY | LUMENS | WATTAGE | EFFICACY |
| Values based on full output. | TECH | 3000K | 1263 | 14 | 92 | 1684 | 18 | 95 | 2526 | 27 | 95 |
| | | 4000K | 1320 | 14 | 96 | 1760 | 18 | 99 | 2639 | 27 | 99 |


| | | |
|----------------|--------------------|----------------------------|
| CERTIFICATIONS | SAFETY | CSA Certified |
| | INGRESS PROTECTION | IP20 |
| | IMPACT RATING | IK07 |
| | WARRANTY | Five Year Limited Warranty |



* LED life may vary under actual field conditions due to external factors. Lifetime estimates are generated from actual testing in a controlled environment. Values are conservatively derived from those numbers.

DIMENSIONS

All dimensions are shown in inches unless otherwise noted. Side view shown.



CUSTOMIZE YOUR EXPERIENCE.

At Experience Brands, we believe every space deserves unique lighting elements. We proudly specialize in crafting solutions that reflect your personal vision. Our expert team is here to collaborate with you to design and implement customized features that elevate your environment.


Ready to Get Started? Email us at: DesignServices@exp-brands.com

ACCESSORIES

NOTE: Accessories are ordered and shipped separately from luminaire for field installation.
 -XX* indicates a painted accessory. See bottom of page for painted accessory ordering information.



TUB60-XX**
End Cap



ORDERING INFORMATION

PAINTED ACCESSORIES

| MODEL | LOGO | FINISH (*-XX) |
|--------------------------------------|-------------------------------|----------------------|
| TUB60 Tub 60 End Cap (Quantity 1) | LEC End Cap with Lamp Logo | BL Black |
| | BEC Blank End Cap | WH White |
| | | SB Signal Blue |
| | | OW Oyster White |
| | | GG Graphite Grey |
| | | TB Turquoise Blue |
| | | SG Silver Grey |
| | | SKB Sky Blue |
| | | GBRN Grey Brown |
| | | VM Vermillion |
| | | DO Deep Orange |